

10/668084

CYC



Practitioner's Docket No. _____ Mp.Nr. 01/528

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent. No. : US 6,950,762 B2
Patentee : Dieter Binz, et al.
Issued : September 27, 2005
Art Unit : 2863
Examiner : Tung S. Lau
Title : Device for Examining Liquids
Docket No. : Mp.Nr. 01/528
Customer No. : 24131

Commissioner for Patents

P.O. Box 1450,

Alexandria, VA 22313-1450

ATTENTION: Decision and Certificate of Correction Branch of the Patent Issue Division

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R.1.322(a))

1. Attached, in duplicate, is Form PTO-1050, with one copy suitable for printing.
2. The Document where the errors are shown correctly in the application file are:

The Related U.S. Application Data appears correctly on the Declaration filed on October 14, 2003 in the U.S. Patent Office and on the official Filing Receipt received from the U.S. Patent Office dated December 17, 2003.

3. Please send the Certificate to:

Name : LERNER AND GREENBERG, P.A.
Address : P.O. BOX 2480, HOLLYWOOD, FL 33022-2480

Certificate
OCT 11 2005
of Correction

☐ Assignment recorded on


(name of authorized person signing)

Reel : _____

Frame: _____

WERNER H. STEMER
REG. NO. 34155
Attorney of Record
Title of authorized person signing

☐ Attached is a Recordal of assignment

☐ Attached is a "CERTIFICATE UNDER 37 CFR 3.73(b)"
(establishing the right of the assignee to take action in this case)

Date: _____

OCT 17 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB Control Number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : US 6,950,762 B2
ISSUED : Sep. 27, 2005
INVENTOR(S) : Dieter Binz, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Item [63] should read as follows:

Continuation of application No. PCT/EP02/02986, filed on Mar. 19, 2002

MAILING ADDRESS OF SENDER:

Lerner and Greenberg P.A.
P.O. Box 2480
Hollywood, FL 33020

PATENT NO. 6,950,762

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

OCT 17 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB Control Number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : US 6,950,762 B2
ISSUED : Sep. 27, 2005
INVENTOR(S) : Dieter Binz, et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Item [63] should read as follows:

Continuation of application No. PCT/EP02/02986, filed on Mar. 19, 2002

MAILING ADDRESS OF SENDER:

Lerner and Greenberg P.A.
P.O. Box 2480
Hollywood, FL 33020

PATENT NO. 6,950,762



No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

OCT 17 2005

Lerner and Greenberg, P.A.
PO Box 2480
Hollywood, FL 33022-2480



Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTENTION: Decision and Certificate of Correction
Branch of the Patent Issue

22313-1450-30 B033